

# SAP Health Check Report

OS Information	
Server Name	
Server Name	
Network Address	
Release	

DB Information	
DB System	HANA
DB Version	
System SID	S4H
Environment	DEV

Other Information	
Status	Completed
Run By	ravikumar.k@canopusgbs.com
Run At	2023-02-10 14:00:06

Health Check Program Details		
Solution	System	Health Check

***This report contains confidential customer data and may be viewed only by SAP DBS employees, authorized SAP partners, and customer employees. Do not distribute it to other parties.***

# SUMMARY

Metrics	Status
Response Times	Green
Runtime Dumps	Green
Buffer	Red
Update Monitoring	Green
Memory Utilization	Red
CPU Utilization	Green
File System	NA

## Instance Status/Details

Instance Name	Instance Number	Features	Port	Status
s4hana_2	2	MESSAGESERVER ENQUE	50213	All OK
s4hana_1	1	ABAP GATEWAY ICMAN IGS	50113	All OK

## Monitoring Check List as on 2023-02-10 14:00 PM

Task	T-Code	Status/Observations	Errors/Comments
Application Servers	SM51	All instances are active	
Systemwide Workstatus Process	SM50/SM51/SM66	DIA: 10 (Total) UPD: 1 (Total) BTC: 6 (Total) SPO: 1 (Total) UP2: 1 (Total)	
No. of users logged in	AL08	15 user sessions	
Total ABAP Dumps	ST22	Runtime Error: 0	
Update Failures	SM13	Update Errors: 0	
Enque Locks	SM12		Error in retrieving details
System Log Check	SM21	All OK	
Checking SAP Buffer Quality	ST02	Program - 100 % TableBuffer - 100 % Screen - 99 % CUA - 100 % TableDefinition - 100 % FieldDescription - 0 % InitialRecords - 76 % ShortNameTAB - 0 % Calendar - 100 % Export/import - 100 % OTR - 98 % Exp./ Imp. SHM - 100 %	
DataBase Backup (Data Backup)	DB12		Error in retrieving details

DataBase Backup (Data Backup)	DB12		Error in retrieving details
CPU Utilization per Server	ST06	CPU Utilization - 6 %	
Review system logs for problems.	ST06 (Memory utilisation per)	Physical Memory: 257547 MB Free Memory: 5683 MB Free Swap Size: 25281 MB Actual Swap Size: 31763 MB	
Database Time	ST03N (Total)	100 msec	
Processing Time	ST03N (Total)	100 msec	
Avg. Response Time	ST03N (Total)	100 msec	

# 1 Application

## 1.1 Workprocess

Instance	No	Typ	Start	CPU
s4hana_S4H_01	0	DIA	yes	7:27:11
s4hana_S4H_01	1	DIA	yes	10:12:44
s4hana_S4H_01	2	DIA	yes	9:47:43
s4hana_S4H_01	3	DIA	yes	12:15:57
s4hana_S4H_01	4	DIA	yes	2:57:50
s4hana_S4H_01	5	DIA	yes	10:38:27
s4hana_S4H_01	6	DIA	yes	2:54:10
s4hana_S4H_01	7	DIA	yes	10:43:57
s4hana_S4H_01	8	DIA	yes	12:20:41
s4hana_S4H_01	9	DIA	yes	11:26:51
s4hana_S4H_01	10	UPD	yes	0:01:02
s4hana_S4H_01	11	BTC	yes	2:51:29
s4hana_S4H_01	12	BTC	yes	2:16:52
s4hana_S4H_01	13	BTC	yes	2:13:54
s4hana_S4H_01	14	BTC	yes	2:09:13
s4hana_S4H_01	15	BTC	yes	2:04:27
s4hana_S4H_01	16	BTC	yes	2:09:57
s4hana_S4H_01	17	SPO	yes	0:00:50
s4hana_S4H_01	18	UP2	yes	0:16:33

## 1.2 Response Times

Response Time	value
ResponseTime	100 msec
ResponseTimeDialog	184 msec
ResponseTimeDialogRFC	51 msec
ResponseTimeHTTP	208 msec
FrontendResponseTime	218 msec
QueueTime	0 msec
Load+GenTime	2 msec
RollTime	53 msec
DBRequestTime	7 msec
Utilisation	14 %
PrivMode Utilisation	0 %
NumberOfWpDIA	10
ErrorsInWpDIA	0

ErrorFreqInWpDIA	0.0 /min
EndedWpDIA	0
QueueLength	0 %
LongRunners	6919 sec
ProgramErrors	ABAP Error: [A table could not be redirected.] in Report[CL_MES_DRF_GOODSMOV_FILT=====CP] in SNAP:[20230209215550s4hana_S4H_01] (User 400:RFC_CAR_50 )
DialogSteps	5 /min
GuiCallbackTime	60 msec
FrontEndNetTime	59 msec
MonitoringTime	0.223 msec
ResponseTime(StandardTran.)	12 msec
LogonLoadQuality	6
LogonLoadMessage	Preferred instance selected for logon group SPACE: s4hana_S4H_01
UsersLoggedIn	15

### 1.3 Runtime Dumps

Dumps	value
Shortdumps	Shortdump: [Maximum string length exceeded] in Report[CL_ABAP_STRUCTDESCR=====CP] in SNAP:[20230210133355s4hana_S4H_01] (User 200:SREE )
Shortdumps Frequency	0 /min

### 1.4 Buffer

Buffer Type	metric	value
Program	DirectoryUsed	7 %
Program	SpaceUsed	100 %
Program	HitRatio	100 %
Program	Swap	0.0 /min
TableBuffer	DirectoryUsed	27 %
TableBuffer	SpaceUsed	91 %
TableBuffer	HitRatio	100 %
TableBuffer	Swap	0.0 /min
Screen	DirectoryUsed	36 %
Screen	SpaceUsed	82 %
Screen	HitRatio	99 %
Screen	Swap	0.0 /min
CUA	DirectoryUsed	6 %

CUA	SpaceUsed	92 %
CUA	HitRatio	100 %
CUA	Swap	0.0 /min
TableDefinition	DirectoryUsed	14 %
TableDefinition	SpaceUsed	14 %
TableDefinition	HitRatio	100 %
TableDefinition	Swap	0.0 /min
FieldDescription	DirectoryUsed	0 %
FieldDescription	SpaceUsed	0 %
FieldDescription	HitRatio	0 %
FieldDescription	Swap	0.0 /min
InitialRecords	DirectoryUsed	22 %
InitialRecords	SpaceUsed	14 %
InitialRecords	HitRatio	76 %
InitialRecords	Swap	0.0 /min
ShortNameTAB	DirectoryUsed	0 %
ShortNameTAB	SpaceUsed	0 %
ShortNameTAB	HitRatio	0 %
ShortNameTAB	Swap	0.0 /min
Calendar	DirectoryUsed	91 %
Calendar	SpaceUsed	79 %
Calendar	HitRatio	100 %
Calendar	Swap	0.0 /min
Export/import	DirectoryUsed	100 %
Export/import	SpaceUsed	22 %
Export/import	HitRatio	100 %
Export/import	Swap	0.4 /min
OTR	DirectoryUsed	100 %
OTR	SpaceUsed	20 %
OTR	HitRatio	98 %
OTR	Swap	0.0 /min
Exp./ Imp. SHM	DirectoryUsed	0 %
Exp./ Imp. SHM	SpaceUsed	8 %
Exp./ Imp. SHM	HitRatio	100 %
Exp./ Imp. SHM	Swap	0.0 /min
NumberRange	MaxNoEntries	5000
NumberRange	FreeEntries	4820

## 1.5 Update

Update Type Type	metric	value
PerformanceU1	ResponseTime	81 msec
PerformanceU1	QueueTime	0 msec
PerformanceU1	Utilisation	0 %
PerformanceU1	NumberOfWpUD1	1
PerformanceU1	ErrorsInWpUD1	0
PerformanceU1	ErrorFreqInWpUD1	0.0 /min
PerformanceU1	EndedWpUD1	0
PerformanceU2	ResponseTime	20 msec
PerformanceU2	QueueTime	0 msec
PerformanceU2	Utilisation	0 %
PerformanceU2	NumberOfWpUD2	1
PerformanceU2	ErrorsInWpUD2	0
PerformanceU2	ErrorFreqInWpUD2	0.0 /min
PerformanceU2	EndedWpUD2	0
Update	AbapErrorInUpdate	ABAP Error in Update:[Update canceled by a message ] User=300:S4TMUSER221 VBKey = 781EFD7FA5C70030E0063DBE5CCDF405, Transaction = SPRO

## 2 OS

### 2.1 Memory

Type of memory	value
Free Memory	5578 MB
Configured Memory	257547 MB
Physical	257547 MB
Free (Value)	5683 MB
Swap Free	25281 MB
Swap Configured	31763 MB
Swap Size	31763 MB
Swap Maximum Size	31763 MB
Free Including Fs Cache	6196 MB
Free	2 MB
Pages In	0 Pg/S
Pages Out	0 Pg/S
Page In	0 KB/s
Page Out	0 KB/s
Page In of RAM	0 %/h

Page Out of RAM	0 %/h
-----------------	-------

## 2.2 CPU

Type of CPU	value
CPU_Utilization	6 %
CPU I/O Waiting	0 %
5minLoadAverage	2.8 QL
User Utilization	6 %
System Utilization	0 %
Idle	94 %
Idle True	94 %
Interrupts	8065 /sec
System Calls	0 /sec
Context Switches	18526 /sec
Number of CPUs	32
Utilization	6 %
I/O Wait	0 %

## 2.3 File System

File System	Available	Use %
/dev	128764 MB	0 %
/dev/shm	216983 MB	0 %
/run	127963 MB	0 %
/sys/fs/cgroup	128773 MB	0 %
/	179449 MB	12 %
/hana	117681 MB	80 %
/usr/sap	52235 MB	48 %
/boot/efi	493 MB	1 %
/run/user/470	25754 MB	0 %
/run/user/1001	25754 MB	0 %
/run/user/468	- MB	- %
/run/user/1002	25754 MB	0 %
/run/user/1004	25754 MB	0 %
/run/user/1005	25754 MB	0 %
/run/user/0	25754 MB	0 %